

# Rejoice Hair Transplant

WIDE DONOR SCARS



Donor-site scarring follows all hair transplants. The scars can range from imperceptible to extremely de-Forming. If sufficient and unusually lax occipital scalp is present, direct excision of the widened scar with layered or trichophytic closure can be performed. This case scenario is very uncommon, however. More commonly, a broad and unsatisfactory donor-site scar is present because excessive scalp has been removed during harvest and excessive tension on the wound closure has resulted in a wide scar. In the past, the author has used a W-plasty scar revision and other approaches utilizing local tissue rearrangement and mobilization.

We rejoice is well known hair transplant in Pune due to our work and effort. We provide you affordable hair transplant in Pune. Our transplanted hairs looks like natural hairs. We solve all your hair related issues. We provide you hair transplant without any cut, no pain and no stitches. Today the cost of hair transplant in Pune is at high bout we provide you low cost hair transplant in Pune. Our hair transplant clinics in Pune deals in hair transplantation, hair surgery, damage therapy etc. Our clinics of hair transplant in Pune, hair transplant in Mumbai, hair transplant in Bangalore.




Common hairline design problems include blunting of the temporal angles, lack of symmetry, and a hairline that is positioned too low on the forehead.

## Hair Restoration Complications:

Hair restoration surgery has emerged as a leading technique for rejuvenation of the upper third of the face. Using contemporary techniques, the results are generally indistinguishable from the appearance of native scalp hair. Unfortunately, older techniques of hair transplantation did not produce this quality result. As a result, there are a considerable number of patients who bear the visual and psychological burden of older hair transplant techniques. In addition, there are regrettably additional patients who have similar unnatural hair transplant results from poorly performed procedures completed in recent time. Understanding the anatomic problems associated with the unnatural-appearing hair transplant is fundamental to the successful correction of the deformity. The most common problems associated with the unsatisfactory hair transplant seen in clinical practice are reviewed, and possible approaches to treatment are presented. The challenge for the hair restoration surgeon is to provide a level of expertise and honesty to these unfortunate patients to restore their appearance and self-confidence. Fortunately, a tremendous benefit for the patient can be achieved when a correction of the unsightly transplant is performed.

## FUT v/s FUE

According to the 2011 Practice Census Results 19 compiled by the International Society Hair Restoration Surgery, the hair restoration procedure that hair surgeons perform most is FUT, more commonly referred to as the donor strip method.




With FUT, the surgeon excises a large piece from the scalp of the back of the head using a scalpel. Thousands of naturally occurring hair follicular groups are created, commonly referred to as grafts, from this strip of excised scalp. These grafts are then implanted into small incisions that the physician makes

artistically in the balding regions of the scalp. When properly made, the incisions give the relocated follicular units hair growth direction, angle, spacing, and depth so that the surgeon can sculpture and create a natural-looking transitional frontal hairline.

## How automated FUE works

The Follicular Unit Extraction (FUE) method of hair transplantation involves removing hair follicles and grafting them onto a section of the head that's balding. A new, automated system being used by OCNeoGraft promises to harvest more hair:



Contact us: 8-2-8-6-0-8-8-4-1-4

What's App Info: 9-7-6-9-7-3-7-3-7-0

Email Address: [care@rejoicehairtransplant.com](mailto:care@rejoicehairtransplant.com)